

**GREENBLUM & BERNSTEIN, P.L.C.**  
Page 1 of 1

\*\*\*\*\***CONFIDENTIALITY NOTE**\*\*\*\*\*  
THE DOCUMENTS ACCOMPANYING THIS TRANSMISSION CONTAIN INFORMATION FROM THE LAW FIRM OF GREENBLUM & BERNSTEIN, P.L.C. WHICH IS CONFIDENTIAL AND/OR PRIVILEGED. THE INFORMATION IS INTENDED TO BE FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ON THIS TRANSMISSION SHEET. IF YOU ARE NOT THE INTENDED RECIPIENT, BE AWARE THAT ANY DISCLOSURE, COPYING, DISTRIBUTION OR USE OF THE CONTENTS OF THIS INFORMATION IS PROHIBITED. IF YOU HAVE RECEIVED THIS TRANSMISSION IN ERROR, PLEASE NOTIFY US BY TELEPHONE AT (703) 716-1191 IMMEDIATELY SO THAT WE CAN ARRANGE FOR THE RETRIEVAL OF THE ORIGINAL DOCUMENTS AT NO COST TO YOU.

\*\*\*\*\*  
**ATTORNEY-CLIENT CONFIDENTIAL AND PRIVILEGED COMMUNICATION**  
\*\*\*\*\*

CALLED TEL. NO.: 571-273-8300  
TO : U.S. Patent and Trademark Office  
ATTN : Examiner Van Handel  
FROM : Greenblum & Bernstein, P.L.C.  
DATE : February 5, 2009

RE: Country : United States  
Appl. No. : 10/091,386  
Title : Media Distribution Apparatus And Media Distribution Method  
Inventor : Koichi EMURA et al.  
Our Ref : P22079

Dear Examiner Van Handel:

We are providing herewith an agenda for the interview scheduled on February 5, 2009 at 11:00 AM in the above-referenced case. In this regard, Applicants' Representative Bill Pieprz and Monica Ullagaddi would like to discuss the combination of features recited in claim 1, the applied reference SEZAN, and differences between the claimed features recited in claim 1 and the applied references. If you should have any questions, please do not hesitate to contact us at 703.716.1191.

Best regards,  
Bruce H. Bernstein/BP/MSU

{P22079 00631876.DOC}